

**APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER
OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF
NEVADA HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office SEP 24 2003

Returned to applicant for correction _____

Corrected application filed _____

Map filed SEP 24 2003

The applicant **THE ANGELLOTTI FAMILY TRUST DATED JULY 18th 1988, ELIGIO ANGELLOTTI AND DOROTHY ANGELLOTTI, TRUSTEES AND THE ACVLB FAMILY TRUST-90, AUGUSTINE C. BUSTOS JR, TRUSTEE** hereby makes application for permission to change the of water heretofore appropriated under **PERMIT 20635, CERTIFICATE 6540**

1. The source of water is **UNDERGROUND SOURCE**
2. The amount of water to be changed **0.25 CFS BUT NOT TO EXCEED 1.314 MGA**
3. The water to be used for **COMMERCIAL**
4. The water heretofore permitted for **COMMERCIAL AND DOMESTIC**
5. The water is to be diverted at the following point **WITHIN THE NE4 SE4 SECTION 19, T22S, R58E, MDM, OR AT A POINT FROM WHICH THE SOUTHEAST CORNER OF SAID SECTION 19, T22S, R58E, MDM, BEARS SOUTH 00°06'00" EAST A DISTANCE OF 2254.93 FEET.**
6. The existing permitted point of diversion is located within **THE NW4 SW4 SECTION 20, T22S, R58E, MDM, OR AT A POINT FROM WHICH THE SOUTHWEST CORNER OF SAID SECTION 20, T22S, R58E, MDM, BEARS SOUTH 05°10'58" WEST A DISTANCE OF 2273.09 FEET. (RECORD TIE FOR PERMIT 20635)**
7. Proposed place of use **PTN NE4 SE4, SECTION 19, T22S, R58E, APN 174-19-00-009 AND A PORTION OF THE NW4 SW4, SECTION 20, T22S, R58E, MDM, APN 174-19-00-010. (NO CHANGE TO THE EXISTING PLACE OF USE.)**
8. Existing place of use **PTN NE4 SE4, SECTION 19, T22S, R58E, APN 174-19-00-009 AND A PORTION OF THE NW4 SW4 SECTION 20, T22S, R58E, MDM., APN 174-19-00-010**
9. Use will be from **JANUARY 1st to DECEMBER 31st** of each year.
10. Use was permitted from **JANUARY 1st to DECEMBER 31st** of each year.
11. Description of proposed works **WELL IS EXISTING**
12. Estimated cost of works **NONE**
13. Estimated time required to construct works **NONE, DRILLED WELL AND DISTRIBUTION SYSTEM**
14. Estimated time required to complete the application of water to beneficial use **NONE, THE EXISTING PERMIT ALREADY HAS A CERTIFICATE, #6540**

15. Remarks: THIS APPLICATION IS TO CORRECTLY SHOW THE WELL THAT ACTUALLY IS BEING USED UNDER THE EXISTING PLACE OF USE.

By AUGUSTINE C. BUSTOS, JR.
s/Augustine C. Bustos Jr.
Agent: FULSTONE ENTERPRISES, INC.
940 S. Martin L. King Blvd.
Las Vegas, NV 89106

Compared sg/sam² ag/cmf

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion of the waters of an underground source as heretofore granted under Permit 20635, Certificate 6540 is issued subject to the terms and conditions imposed in said Permit 20635, Certificate 6540 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.25 cubic feet per second, **but not to exceed 1.314 million gallons Annually.**

Work must be prosecuted with reasonable diligence and be completed on or before:

March 12, 2005

Proof of completion of work shall be filed on or before:

April 12, 2005

Water must be placed to beneficial use on or before:

March 12, 2006

Proof of the application of water to beneficial use shall be filed on or before:

April 12, 2006

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 12th day of March, A.D. 2004


State Engineer

Completion of work filed _____

Proof of beneficial use filed _____

Cultural map filed N/A

Certificate No. _____ Issued _____

